



NO HT

1954 OTAM

MECHANICAL ENGINEERING & CRAFTSMANSHIP ITALIAN EXCELLENCE


OTAM




OTAM




OTAM




OTAM




OTAM



OTAM




OTAM




OTAM




OTAM




OTAM




OTAM




OTAM




OTAM




OTAM




OTAM




OTAM






OTAM




OTAM








OTAM





OTAM











PROFILE





MAIN DECK



MAIN DECK



LOWER DECK



LOWER DECK

TECHNICAL SPECIFICATION

MAIN CHARACTERISTICS

Length Overall	22,27 mt
Waterline Length	17,56 mt
Beam (moulded)	5,30 mt
Draft (50% load)	0,99 mt
Draft (full load below propellers)	1,30mt
Displacement F.L.	54 ton.
Design	Giuseppe Bagnardi BG DESIGN FIRM
Engineering	OTAM - Umberto Tagliavini MARINE DESIGN

CONSTRUCTION MATERIAL

Hull and deck :	Aramat / GRP
Superstructure :	Aramat / GRP

CLASSIFICATION

C, HULL, ●MACH,Y, unrestricted navigation,
RINA - Regulations for the Classification of Yachts for Pleasure private use

MAIN ENGINES AND PROPULSION OPTION 1

nr. 2 Engines	MTU 12V2000M96X 2000 HP
nr. 2 Gearboxes	ZF 3050
nr. 2 Arnesons	ASD 14L
Nr.2 Propellers	Rolla 5 - Bladed

MAIN ENGINES AND PROPULSION OPTION 2

nr. 2 Engines	CAT C32B 2400 HP
nr. 2 Gearboxes	ZF 3070
nr. 2 Arnesons	ASD 15
Nr.2 Propellers	Rolla 6 - Bladed



PERFORMANCE OPTION 1

Max Speed	50 knots
Cruise Speed	42 knots

PERFORMANCE OPTION 2

Max Speed	54 knots
Cruise Speed	45 knots

GENERATOR

nr. 1 GenSet Kohler 20,5 Kw, 230 V AC 50 Hz Sound proofing enclosure and exhaust silencer

TANKS CAPACITY

Fuel Oil Tanks	6.000 Lt
Fresh Water Tanks	1.000 Lt
Black Water Tank	500 Lt
Grey Water Tank	500 Lt

AUXILIARY EQUIPMENT

Bow thruster:	SIDE POWER SH 400
Trim Tabs:	Humphree Interceptor
Water maker:	nr. 1 x 180 lt/h
Stabilizer:	OPTIONAL nr. 1 Seakeeper 16
Air-conditioning:	Tropical
Boilers:	nr.2 boilers x 80 lt/each



NAVIGATION EQUIPMENT

Magnetic compass:	YES
Speed Log:	RAYMARINE
Depth sounder:	RAYMARINE
Autopilot:	HUMMINBIRD
Radar:	RAYMARINE RD424HD
Electronic chart system:	nr.2 RAYMARINE AXIOM XL 19
Monitoring System:	OPTIONAL - BOENING Integrated Systems
GPS:	RAYMARINE

COMMUNICATION AND SATELLITE EQUIPMENT

VHF:	RAYMARINE RAY 90 class D
V-SAT:	nr.1 Sea Tel ST 24E

ENTERTAINMENT / SECURITY EQUIPMENT

TV:	Samsung each cabin and Dining
Music system	YES – customizable at Client choice
Wi-fi all areas	Included
Security cameras:	CCTV (E.Room, Aft deck)

DOMESTIC APPLIANCES, EQUIPMENT AND LAUNDRY

Refrigerator:	MIELE
Freezer:	MIELE
Oven:	MIELE
Microwave:	MIELE
Icemaker:	YES
Dishwasher;	MIELE
Washing machine:	MIELE



HULL AND DECK EQUIPMENT

Anchors & chain:	1x35 kg - 1x75 mt length -12mm diameter
Windlass:	nr. 1 Custom Flush Up-Down
Stern capstans:	nr. 2 1000W 220 V
Passerelle	YES
Multifunction swim ladder:	5 Steps

GARAGE TENDER AND TOYS

Tender:	Max Tender Length 2.9m Jet
Jet Ski:	Max length 2.8m
Sea bob dedicated storage:	n°1
All toys are Owner supply	

ACCOMMODATION

6 guests in 3 staterooms and 2 crew in 1 cabin with separate access for best privacy


Living Area Main deck

Galley

INTERIOR AND EXTERIOR LAYOUT

Bespoke Limitless solutions at Client choice

O T A M S. R. L.
Via Cibrario,2 - 16154 Sestri Ponente (GE)

 [instagram.com/otam_custom_projects/](https://www.instagram.com/otam_custom_projects/)

w w w . o t a m . i t